

MR RANGER

The new Rieju MR RANGER, light, docile and easy to handle, suitable for all rider types. The perfect formula for those who want a light enduro and to enjoy off-road riding without sacrificing comfort and usability. With a lower seat height and more manageable engine.

MR RACING

The Rieju MR Racing will not leave anyone indifferent, with its 200/300cc liquid cooling 2T engine plus the front and rear suspension set Kayaba and its Nissin brakes make it the best price quality option on the market today.

MR PRO

With your Rieju MR PRO you can go from riding in the mountains to putting on a race number and taking part in any enduro or hard off-road test that you want. Based on the already complete MR250/300 Racing, Rieju has decided to assemble some exclusive components.





RIEJU MR RANGER 200/300cc





KEY HIGHLIGHTS







SET CLAMP AND PUMP JJUAN FRONT AND REAR.





LOWER SEAT HEIGHT




MORE TAME ENGINE





RIEJU MR RANGER 200/300 cc









RIEJU MR RACING 250/300 cc





KEY HIGHLIGHTS



INVERTED FORK KAYABA 48MM



SET CLAMP AND PUMP NISSIN FRONT AND REAR.







RIEJU MR RACING 250/300cc









RIEJU MR PRO 250/300cc



KEY HIGHLIGHTS



INVERTED FORK KAYABA 48MM



SET CLAMP AND PUMP NISSIN FRONT AND REAR. FLOATING FRONT DISC



GOLDSPEED PRO HD WHEELS WITH PROTECTIVE RIM DECALS



DUAL DIAMETER WITH RENTHAL BAR



RADIATOR FAN



RIEJU MR PRO 250/300cc





KEY HIGHLIGHTS



RENTHAL GRIPS



YOKES XTRIG ROCS TRIPLE CLAMPS ANODIZED HIGH STRENGTH And lighter



AIR FILTER - HIGH CAPACITY FOAM CONE



ENGINE PROTECTORS



TRANSMISSION CHAIN - WITH SEALS



SEAT NON-SLIP TWIN MATERIAL



RIEJU MR PRO 250/300 cc

















FRONT FORK	KYB Ø46 MM	KYB Ø48 MM, AOS SYSTEM, CLOSED CARTRIDGE	KYB Ø48 MM, AOS SYSTEM, CLOSED CARTRIDGE. BLACK ANODIZED Anti-Friction treatment bar.
FORK TRAVEL	270 MM	300 MM	300 MM
YOKES	NO	HIGH STRENGTH ALUMINIUM	XTRIG ROCS TRIPLE CLAMPS ANODIZED HIGH STRENGTH AND LIGHTER
HANDGUARDS	NO	YES	YES
GRIPS	NORMAL ENDURO	NEKEN - HIGH GRIP	RENTHAL
HANDLEBAR	DUAL DIAMETER WITH BAR.	NEKEN - DUAL DIAMETER	DUAL DIAMETER WITH RENTHAL BAR
SHOCK TRAVEL	121 MM	131 MM	131 MM
SHOCK	KYB COMFORT	КҮВ	КҮВ
SUBFRAME	ALUMINIUM	ALUMINIUM	ALUMINIUM
SWINGARM	ALUMINIUM, ROCKER LINK SYSTEM	ALUMINIUM, ROCKER LINK SYSTEM	ALUMINIUM, ROCKER LINK SYSTEM
CHASSIS	CENTRAL SPINE, CHROMIUM MOLYBENDUM STEEL	CENTRAL SPINE, CHROMIUM MOLYBENDUM STEEL	CENTRAL SPINE, CHROMIUM MOLYBENDUM STEEL
EXHAUST	RIEJU HIGH PERFORMANCE	RIEJU HIGH PERFORMANCE	RIEJU HIGH PERFORMANCE
SILENCER	RIEJU POWERED	RIEJU POWERED	FMF
INLET	DIRECT VFORCE 4 REED VALVES	DIRECT VFORCE 4 REED VALVES	DIRECT VFORCE 4 REED VALVES
CLUTCH	MULTIDISK CLUTCH IN OIL BATH, MAGURA PUMP	MULTIDISK CLUTCH IN OIL BATH, MAGURA PUMP	MULTIDISK CLUTCH IN OIL BATH, MAGURA PUMP
GEARBOX	6 SPEED GEARBOX WITH SELECTOR PEDAL	6 SPEED GEARBOX WITH SELECTOR PEDAL	6 SPEED GEARBOX WITH SELECTOR PEDAL
POWER CURVE	NO	DRY / RAIN	DRY / RAIN
INGITION	DIGITAL CDI - EURO5	DIGITAL CDI - EURO5	DIGITAL CDI - EURO5
CARBURETTOR	KEHIN PWK 36	KEHIN PWK 38	KEHIN PWK 38
STARTER	ELECTRIC START AND KICK START. LITHIUM BATTERY	ELECTRIC START AND KICK START. LITHIUM BATTERY	ELECTRIC START AND KICK START. LITHIUM BATTERY
DIAMETER AND STROKE	72 X 72 MM	72 X 72 MM	72 X 72 MM
CUBIC CAPACITY	293 CC	293 CC	293 CC
ENGINE	2T SINGLE CYLINDER, LIQUID COOLED	2T SINGLE CYLINDER, LIQUID COOLED	2T SINGLE CYLINDER, LIQUID COOLED







FRONT RIM	NO	FRONT: EXCEL 1.6 X21	GOLDSPEED PRO HD 1,6 X 21
REAR RIM	NO	REAR: EXCEL 2.15 X 18	GOLDSPEED PRO HD 2,15 X 18
QUICK RELEASE AXLE	NO	YES	YES
FRONT TYRE	VEE RUBBER 90/90-21 VRM211 F.T.T	MICHELIN ENDURO MEDIUM F TT 90/90 - 21 M/C 54R	MICHELIN ENDURO MEDIUM F TT 90/90 - 21 M/C 54R
REAR TYRE	VEE RUBBER 120/90-18 VRM211B T.T.	MICHELIN ENDURO MEDIUM R TT 140/80 - 18 70R	MICHELIN ENDURO MEDIUM R TT 140/80 - 18 70R
FRONT BRAKE	JJUAN CLAMP AND PUMP ASSEMBLY, NG 260 MM DISC	NISSIN CLAMP AND PUMP ASSEMBLY, NG 260 MM DISC	NISSIN CLAMP AND PUMP ASSEMBLY, NG 260 MM FLOATING DISC
REAR BRAKE	JJUAN CLAMP AND PUMP ASSEMBLY, NG 220 MM DISC	NISSIN CLAMP AND PUMP ASSEMBLY, NG 220 MM DISC	NISSIN CLAMP AND PUMP ASSEMBLY, NG 220 MM DISC
BODY	PLASTIC SUITABLE FOR ENDURO	PLASTIC SUITABLE FOR ENDURO	PLASTIC SUITABLE FOR ENDURO
DIMENSIONS	LENGTH X WIDTH X HEIGHT : 2285 X 825 X 1215 MM	LENGHT X WIDTH X HEIGHT : 2285 X 825 X 1260 MM	LENGHT X WIDTH X HEIGHT : 2285 X 825 X 1260 MM
WHEELBASE	1.475 MM	1.475 MM	1.475 MM
FUEL CAPACITY	9,8 L	9,8 L	9,8 L
DRY WEIGHT	105 KG	105 KG	105 KG
SEAT HEIGHT	925 MM	970 MM	970 MM
SEAT	NON-SLIP	NON-SLIP	NON-SLIP TWIN MATERIAL
AIR FILTER	FOAM	FOAM	HIGH CAPACITY FOAM FUNNEL WEB FILTER
TRANSMISSION CHAIN	NO SEALS	NO SEALS	WITH SEALS
RADIATOR FAN	NO	NO	YES
PROTECTOR CHASSIS	NO	YES	YES. POLISPORT
ENGINE PROTECTORS	NO	NO	YES. POLISPORT
PROTECTIVE RIM DECALS	NO	NO	YES
ANODISED REAR	48 TEETH	49 TEETH	49 TEETH
SPROCKET			



